




FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)

SUNDAY 1 APRIL, 19 62
(Day) (Date) (Month)

08-12 Moored as before. 0800 Mustered Crew on station
abreast, none. 1020 Made daily inspection of
magazine and smokeless powder samples. Condition
normal.

J. Haffey CWO U.S.N.

12-16 Moored as before.

J. Haffey CWO U.S.N.

16-20 Moored as before. 1802 Set material Condition Yoke
second deck and below. 1825 Mustered to duty
section at (foul weather parade) abreast none.

J. Haffey CWO U.S.N.

20-24. Moored as before.

J. Haffey CWO U.S.N.

APPROVED:

[Signature] LCDR U.S.N. COMMANDING

EXAMINED:

E.B. Masch LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE Monday 2 April, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	290	15	1	R	28.74	36	35	10	350	ST			
02	290	15	1	R	28.76	36	35	10	350	ST			
03	295	16	1	R	28.78	36	35	10	350	ST			
04	310	14	2	R	28.78	36	35	10	350	ST			
05	320	15	2	R	28.80	36	35	10	350	ST			
06	340	13	3	OVC	28.82	36	35	10	350	ST			
07	325	15	1	S	28.84	36	35	10	350	ST			
08	300	16	2	R	28.85	36	35	10	350	ST			
09	280	13	2	R	28.86	36	35	10	350	ST			
10	285	15	2	R	28.89	37	36	10	350	ST			
11	280	14	2	R	28.89	38	37	10	350	ST			
12	285	10	2	R	28.89	40	39	10	350	ST			
13	290	10	2	R	28.91	41	40	10	350	ST			
14	300	9	4	BKN	28.90	44	43	8	350	ST			
15	295	12	2	R	28.92	41	39	10	700	SC			
16	285	10	3	BKN	28.92	41	39	8	700	SC			
17	285	15	3	BKN	28.94	41	39	8	700	SC			
18	270	20	2	R	28.96	39	37	10	700	SC			
19	270	15	1	R	28.98	36	35	10	350	ST			
20	300	9	1	L	29.00	36	35	10	350	ST			
21	320	6	1	L	29.03	36	35	10	350	ST			
22	335	4	1	OVC	29.06	36	35	10	350	ST			
23	335	8	1	L	29.08	37	36	10	350	ST			
24	320	7	1	OVC	29.09	37	36	10	350	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
579

REMARKS

00-04. Moored port side to pier five (5) at U.S. Naval Station, Adak, Alaska with four (4) 1 3/4 inch springlay mooring lines plus one (1) light inch manila forward, and one (1) light inch manila aft. Receiving miscellaneous service from its pier. Ships present include U.S. C. G. S. Clover (WAGL-292) plus various district craft. S.O.P.A. is Commanding Officer U.S. Naval Station Adak, Alaska.

J. H. Hopper CWO U.S.N.

04-08. Moored as before. 0750 Mustered crew at quarters for muster and inspection, absentees none.

J. H. Hopper CWO U.S.N.

APPROVED:

EXAMINED:

A. H. L. Lcdr U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY 2 APRIL, 19 62
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0847 MADE DAILY INSPECTION OF MAGAZINE
TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E. B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E. B. Masch LTJG USNR


16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YDKE.
1832 MUSTERED THE FIRE PARTY, ABSENTEES NONE.

E. B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E. B. Masch LTJG USNR

APPROVED:



U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE TUESDAY 3 APRIL, 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	300	9	1	OK	29.09	37	36	10	350	ST			
02	315	6	1	OK	29.13	38	37	10	350	ST			
03	335	7	1	OK	29.16	38	37	10	350	ST			
04	350	6	1	R	29.17	37	36	10	350	ST			
05	005	10	1	R	29.18	37	36	10	350	ST			
06	000	11	1	OK	29.26	37	36	10	350	ST			
07	010	12	1	OK	29.32	37	36	10	350	ST			
08	020	12	2	OK	29.38	37	36	10	350	ST			
09	015	18	2	OK	29.41	38	37	10	350	ST			
10	005	16	2	OK	29.46	40	39	10	350	ST			
11	005	22	2	OK	29.49	40	38	10	700	ST			
12	005	15	2	OK	29.54	41	40	10	350	ST			
13	000	20	2	OK	29.58	40	40	10	0	ST			
14	005	20	3	OK	29.62	46	46	10	0	ST			
15	000	20	3	OK	29.63	42	41	10	350	ST			
16	000	19	3	OK	29.64	42	41	10	350	ST			
17	005	20	3	OK	29.64	42	41	10	350	ST			
18	005	20	2	R	29.74	37	36	10	350	NS			
19	005	19	2	R	29.78	37	36	10	350	NS			
20	000	15	2	OK	29.82	37	36	10	350	ST			
21	005	20	2	OK	29.86	37	36	10	350	ST			
22	000	20	2	OK	29.90	36	35	10	350	ST			
23	355	22	2	OK	29.92	34	33	10	350	ST			
24	350	22	2	OK	29.92	34	33	10	350	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____ (ZT) _____ (Date)	
TO _____ (ZT) _____ (Date)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
266

REMARKS

00-04 MOORED PORT SIDE TO PIER FIVE (S) U.S. NAVAL STATION ADAK ALASKA WITH FOUR (4) 1 3/4" SPRINGLAY LINES PLUS ONE (1) EIGHT (8) INCH MANILA LINE FORWARD AND ONE (1) EIGHT (8) INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-292) PLUS VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER U.S. NAVAL STATION ADAK ALASKA.

E. B. Masch LTJG USNR

04-08 MOORED AS BEFORE. 0750 HELD QUARTERS FOR MUSTER AND INSPECTION FOUL WEATHER PARADE, ABSENTEES NONE.

E. B. Masch LTJG USNR

APPROVED:

EXAMINED:

[Signature] LCDR U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY 3 APRIL, 19 62
(Day) (Date) (Month)

08-12 *Moored as before. 0807 commenced taking on fuel. Draft forward 12' 7" aft 16' 10". 0905 secured from taking on fuel. Draft forward 12' 7" aft 16' 6". Received 40105 gallons of diesel fuel oil. 0943 made daily inspection of magazines and smokeless powder samples; conditions; normal.*

J. F. Hipp, CWO, USN

12-14 Moored as before.

J. F. Hipp, CWO, USN

16-20 Moored as before. 1800 set material condition "after" second deck and below.

J. F. Hipp, CWO, USN.

20-24 Moored as before.

J. F. Hipp, CWO, USN.

APPROVED:

Smith LCDR.

U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE WEDNESDAY 4 APRIL, 1969
 AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	010	15	1	S	29.96	36	35	10	350	ST			
02	015	15	1	OVC	29.98	36	35	10	350	ST			
03	020	10	1	S	29.99	36	34	10	700	SC			
04	020	15	1	S	30.00	36	35	10	350	ST			
05	020	10	1	OVC	30.03	35	34	10	350	ST			
06	020	10	2	OVC	30.05	35	34	10	350	ST			
07	025	10	2	OVC	30.07	35	34	10	350	ST			
08	020	12	1	OVC	30.08	36	34	10	700	ST			
09	020	15	1	S	30.08	36	34	10	700	SC			
10	020	15	1	R	30.11	37	35	10	700	NS			
11	025	10	1	OVC	30.12	37	35	10	700	SC			
12	350	14	2	OVC	30.12	39	35	10	1400	CU			
13	355	20	2	BKN	30.12	40	36	9	1400	CU			
14	345	16	2	BKN	30.12	41	36	9	1750	AC			
15	000	18	2	BKN	30.12	41	36	8	1750	AC			
16	355	20	2	BKN	30.13	40	36	7	1400	AC			
17	005	15	3	BKN	30.15	37	34	7	1050	CU			
18	010	17	3	BKN	30.15	36	33	8	1050	CU			
19	000	20	2	BKN	30.15	35	32	8	1050	CU			
20	020	18	1	OVC	30.16	35	32	10	1050	CU			
21	025	15	1	OVC	30.16	35	32	10	1050	CU			
22	030	15	1	OVC	30.17	35	32	10	1050	CU			
23	355	14	1	OVC	30.18	35	32	10	1050	SC			
24	340	10	1	OVC	30.20	34	32	10	700	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
650

REMARKS

00-04 Moved portside to pier five (5) at U.S. Naval Station Adak Alaska with four (4) 1 3/4 inch spring lay mooring lines plus one (1) eight inch manila line forward and one (1) eight inch manila line aft. Receiving mail - anxious services from the pier. Ships present include U.S.C.G. Clover (WAGL 292) and various district crafts. SOPA is Commanding Officer, U.S. Naval Station, Adak, Alaska.

J. J. Gripp, CWO, USN.

04-08 Moved as before. 0730 Mustered the crew at quarters for muster and inspection; absentees; none.

J. J. Gripp, CWO, USN.

APPROVED:

EXAMINED:

[Signature] LCDR

U. S. N. COMMANDING

[Signature] E. B. Masch LTC

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY 4 APRIL 19 62
(Day) (Date) (Month)

08-12: MOORED AS BEFORE. 1029 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H. E. Swan, ENS, USNR

12-16: MOORED AS BEFORE.

H. E. Swan, ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YORE.

H. E. Swan, ENS, USNR

20-24: MOORED AS BEFORE.

H. E. Swan, ENS, USNR

APPROVED:

E. B. Masch

U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 4 11 DATE THURSDAY 5 APRIL, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	025	10	1	OK	30.22	34	32	10	700	SC			
02	020	12	1	OK	30.22	33	32	10	350	ST			
03	035	9	1	OK	30.23	33	32	10	350	ST			
04	040	8	1	OK	30.23	35	32	10	1050	SC			
05	040	10	1	OK	30.23	34	32	10	700	SC			
06	035	10	2	OK	30.23	34	32	10	700	SC			
07	040	10	2	OK	30.25	34	32	10	700	SC			
08	035	10	3	OK	30.26	35	32	10	1050	AC			
09	040	8	3	OK	30.27	35	32	10	1050	AC			
10	020	7	3	OK	30.27	36	32	10	1400	AC			
11	005	15	3	OK	30.29	38	34	10	1400	AC			
12	005	15	3	BKN	30.29	40	37	9	1050	AC			
13	005	10	3	BKN	30.29	40	37	8	1050	AC			
14	010	10	4	BKN	30.29	40	37	8	1050	AC			
15	020	10	4	BKN	30.29	40	37	8	1050	AC			
16	050	10	4	BKN	30.29	39	37	8	700	SC			
17	040	5	4	BKN	30.29	38	35	8	1050	SC			
18	090	8	4	BKN	30.29	37	35	8	700	SC			
19	080	8	4	BKN	30.30	38	35	8	1050	SC			
20	090	9	3	BKN	30.32	37	35	9	700	SC			
21	085	5	3	OK	30.34	36	35	10	350	ST			
22	090	4	2	OK	30.34	35	33	10	700	ST			
23	085	5	2	OK	30.35	34	33	10	350	ST			
24	085	4	2	OK	30.35	35	33	10	700	ST			

POSITION ZONE TIME
0800 L _____ BY _____
λ _____ BY _____
1200 L _____ BY _____
λ _____ BY _____
2000 L _____ BY _____
λ _____ BY _____
LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
548

REMARKS

06-04: MOORED PORT SIDE TO PIER FIVE (5) AT U.S. NAVAL STATION, ADAK, ALASKA WITH FOUR (4) 1 3/4 INCH MANILA SPRING LAY LINES PLUS ONE (1) EIGHT INCH MANILA LINE FOREWARD, AND ONE (1) EIGHT INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-292) AND VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER, U.S. NAVAL STATION, ADAK, ALASKA.

H. J. Luman, ENS, USNR

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

E. B. Masch LTJG USNR

APPROVED:

EXAMINED:

[Signature] LCDR U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)

THURSDAY 5 APRIL, 19 62
(Day) (Date) (Month)

08-12. Moored as before. 0845. U.A.C. Y.S. Chow (WAGL-292) stood out of Sweeper Cowl 1070. Made daily inspection of magazine and smokeless powder samples. Conditions normal.

Jeffrey CWO U.S.N.

12-16. Moored as before.

Jeffrey CWO U.S.N.

16-20 Moored as before. 1800 set material Condition "Yoko" second deck and below. 1800 mustered the starboard section in - port fire party.

Jeffrey CWO U.S.N.

20-24. Moored as before.

Jeffrey CWO U.S.N.

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

E. B. Masch

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-916) ZONE DESCRIPTION +11 DATE FRIDAY 6 APRIL, 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	075	2	3	OVC	30.35	37	35	10	700	SC			
02	070	2	3	OVC	30.36	38	36	10	700	SC			
03	080	3	3	OVC	30.37	38	36	10	700	SC			
04	070	5	3	OVC	30.38	36	34	10	700	SC			
05	065	3	3	OVC	30.40	35	34	10	350	SC			
06	065	3	4	OVC	30.40	36	33	10	1050	AC			
07	080	2	3	OVC	30.42	34	33	10	350	ST			
08	100	1	1	S	30.45	36	35	10	350	ST			
09	110	1	2	OVC	30.46	40	38	10	700	SC			
10	105	2	2	OVC	30.48	45	40	10	1750	AC			
11	100	2	2	OVC	30.48	45	42	10	1050	AC			
12	095	4	2	SW	30.49	50	44	9	2100	AC			
13	095	3	2	OVC	30.49	45	42	9	1400	AC			
14	095	1	2	OVC	30.49	45	42	9	1400	AC			
15	185	3	4	BKN	30.49	43	38	8	1750	AC			
16	165	3	4	BKN	30.52	42	38	8	1400	AC			
17	155	1	5	BKN	30.49	43	39	8	1400	AC			
18	210	2	5	BKN	30.49	39	35	8	1400	AC			
19	200	1	5	BKN	30.50	39	35	9	1400	AC			
20	215	2	4	BKN	30.54	39	36	9	1050	CU			
21	230	2	3	BKN	30.54	39	35	9	1400	CU			
22	240	3	3	BKN	30.55	37	35	9	700	SC			
23	275	3	3	BKN	30.56	37	35	9	700	SC			
24	275	3	2	BKN	30.56	36	35	9	350	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
657

REMARKS

00-04 Moored Port side to pier pier (5) at U. S. Naval Station Adak, Alaska with four (4) 1 3/4 inch spring lay lines plus one (1) light inch manila line forward, and one (1) light inch manila aft. Receiving miscellaneous service from the pier. Ships present include USCGS Clover (WAGL-792) and various district craft. SOPA. Commanding Officer, U. S. Naval Station, Adak Alaska 0704. USNS Injar moored starboard side to pier three (3)

J. Haffey CWO U.S.N.

04-08. Moored as before. 0750 Mustered the crew at Quarters for muster and inspection; absentees none.

J. Haffey CWO U.S.N.

APPROVED:

EXAMINED:

A. H. L. CDR

U. S. N. COMMANDING

E. B. March LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY 6 APRIL 19 62
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0845 USCGS CLOVER (WAGL-292) STOOD OUT OF THE HARBOR. 0910 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E. B. Masch LTJG USNR

EBM ¹²⁻¹⁶~~08-12~~ MOORED AS BEFORE.

E. B. Masch LTJG USNR


16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

E. B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E. B. Masch LTJG USNR

APPROVED:



U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ARNAK (ATF-96) ZONE DESCRIPTION +11 DATE SATURDAY 7 APRIL, 1969
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	275	1	2	BN	30.56	33	32	8	350	ST			
02	290	1	2	OC	30.56	34	33	9	350	ST			
03	210	1	2	OC	30.56	35	34	10	350	ST			
04	225	1	2	OC	30.57	36	34	10	700	SC			
05	270	1	2	OC	30.58	36	34	10	700	SC			
06	0	0	2	OC	30.60	37	35	10	700	SC			
07	010	2	2	OC	30.62	37	35	10	700	SC			
08	0	0	4	OC	30.61	41	38	10	1050	AC			
09	0	0	5	OC	30.63	43	40	10	1050	AC			
10	0	0	5	OC	30.65	45	44	10	350	SC			
11	070	3	2	OC	30.67	44	43	10	350	ST			
12	0	0	2	OC	30.65	44	43	10	350	ST			
13	070	1	2	L	30.65	44	43	10	350	NS			
14	070	1	2	L	30.65	44	43	10	350	NS			
15	090	3	3	OC	30.64	42	41	10	350	ST			
16	090	2	3	OC	30.64	42	41	10	350	ST			
17	095	3	3	OC	30.64	43	41	10	700	SC			
18	085	1	3	OC	30.64	42	40	10	350	ST			
19	090	3	3	OC	30.64	40	39	10	350	ST			
20	090	4	3	OC	30.64	41	39	10	700	ST			
21	090	1	3	OC	30.64	39	39	10	0	ST			
22	090	1	3	OC	30.64	38	38	10	0	ST			
23	090	1	3	OC	30.64	38	38	10	0	ST			
24	0	0	3	OC	30.64	38	38	10	0	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
625

REMARKS

00-04 MOORED PORT SIDE TO PIER FIVE(S) U.S. NAVAL STATION ADAK ALASKA WITH FOUR (4) 1 3/4" SPRINGLAY MOORING LINES PLUS ONE (1) EIGHT (8) INCH MANILA LINE FORWARD AND ONE (1) EIGHT (8) INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER U.S. NAVAL STATION ADAK, ALASKA.


E.B. Masch LTJG USNR

04-08 MOORED AS BEFORE, 0710 USCGS CLOVER (WAGL-292) STANDING IN HARBOR.

E.B. Masch LTJG USNR

APPROVED:

EXAMINED:

 LTJG U. S. N. COMMANDING

E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96)SATURDAY 7 APRIL 1962
(Day) (Date) (Month)

08-12 reported as before. 0800 Mustered the crew on station; absentees: none. 0835 made daily inspection of magazines and smokeless powder bunks; condition: normal.

J. J. Hipp, CWO, USN

12-16 reported as before. 1405 Mustered crew at quarters for commanding officer's personnel inspection; absentees: none. 1419 Secured from commanding officer's personnel inspection.

J. J. Hipp, CWO, USN

16-20 reported as before. 1800 Set material condition fore, second deck and below.

J. J. Hipp, CWO, USN

20-24 reported as before.

J. J. Hipp, CWO, USN.

APPROVED:

[Signature] CDR

U. S. N. COMMANDING

EXAMINED:

E. B. Marsh LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +11 DATE SUNDAY 8 APRIL, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	0	0	3	1	30.64	38	38	10	0	ST			
02	0	0	3	1	30.64	38	38	10	0	ST			
03	0	0	4	1	30.65	38	38	10	0	ST			
04	0	0	4	1	30.66	38	38	10	0	ST			
05	0	0	4	1	30.66	38	38	10	0	ST			
06	0	0	4	1	30.66	38	38	10	0	ST			
07	0	0	4	1	30.66	38	38	10	350	ST			
08	0	0	4	OVC	30.67	39	38	10	350	ST			
09	0	0	4	OVC	30.67	39	38	10	350	ST			
10	0	0	4	OVC	30.67	39	38	10	350	ST			
11	100	2	4	OVC	30.67	39	38	10	350	ST			
12	095	4	5	OVC	30.68	45	44	10	350	ST			
13	075	3	5	OVC	30.67	45	43	9	700	SC			
14	070	2	5	OVC	30.67	45	41	9	1400	AC			
15	090	4	4	OVC	30.66	44	39	9	1750	AC			
16	075	3	3	OVC	30.66	41	37	9	1400	AC			
17	070	4	3	OVC	30.66	41	37	9	1400	AC			
18	035	2	3	OVC	30.66	40	36	9	1400	AC			
19	010	4	3	OVC	30.66	40	36	9	1400	AC			
20	325	2	2	OVC	30.65	39	36	9	1050	AC			
21	305	1	2	OVC	30.65	39	36	9	1050	AC			
22	285	1	2	OVC	30.65	38	35	9	1050	AC			
23	270	1	2	OVC	30.65	38	35	9	1050	AC			
24	245	1	2	OVC	30.65	38	35	9	1050	AC			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
534

REMARKS

00-04 Moored port side to pier five (5) at U. S. Naval Station, Adak, Alaska, with four (4) 1 3/4 inch sprung lay mooring lines plus one (1) eight inch manila line forward and one (1) eight inch manila line aft. Receiving miscellaneous service from the pier. Ships present include U. S. CGC *Clover* (WAGL 292) and various district craft. Sofer is Commanding Officer, U. S. Naval Station, Adak, Alaska.

J. F. Gupp, CWO, USN

04-08 Moored as before.

J. F. Gupp, CWO, USN

APPROVED:

EXAMINED:

[Signature] LCDR U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY 8 APRIL, 19 62
(Day) (Date) (Month)

08-12: MOORED AS BEFORE. 0815 MUSTERED THE CREW ON STATIONS.
ABSENTEES NONE. 1035 MADE DAILY INSPECTIONS OF MAGAZINES
AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H. K. Swan, ENS, USNA

12-16: MOORED AS BEFORE.

H. K. Swan, ENS, USNA

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKO.

H. K. Swan, ENS, USNA

20-24: MOORED AS BEFORE.

H. K. Swan, ENS, USNR

APPROVED:

EXAMINED:

[Signature] **CDR**

U. S. N. COMMANDING

E. B. Marsh **LTJG**

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION TU DATE MONDAY 9 APRIL, 1962
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA -TO-

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	0	0	2	OK	30.65	38	35	10	1050	SC			
02	270	1	2	OK	30.64	38	35	9	1050	SC			
03	270	1	2	OK	30.63	38	34	9	1400	SC			
04	275	2	2	BKN	30.62	37	34	8	1050	SC			
05	275	4	2	BKN	30.60	37	34	8	1050	SC			
06	270	2	3	BKN	30.60	38	34	8	1400	SC			
07	270	2	3	BKN	30.58	38	34	8	1400	SC			
08	270	2	4	BKN	30.58	38	34	9	1400	SC			
09	270	3	4	OK	30.58	39	35	10	1400	SC			
10	270	3	5	OK	30.58	40	35	10	1750	CU			
11	270	3	5	OK	30.58	41	36	10	1750	CU			
12	270	4	5	OK	30.55	40	36	10	1400	CU			
13	270	3	5	OK	30.54	42	38	10	1400	CU			
14	270	3	5	OK	30.53	42	40	10	700	SC			
15	270	4	5	OK	30.52	42	40	10	700	SC			
16	290	7	4	OK	30.51	40	36	10	1400	CU			
17	290	6	4	OK	30.51	40	36	10	1400	CU			
18	290	7	4	OK	30.50	39	36	10	1050	CU			
19	270	4	4	OK	30.50	39	36	10	1050	CU			
20	280	5	3	OK	30.52	39	36	10	1050	SC			
21	280	7	3	OK	30.52	39	36	10	1050	SC			
22	285	6	3	OK	30.52	39	36	10	1050	SC			
23	285	4	3	OK	30.52	39	36	10	1050	SC			
24	290	3	3	OK	30.49	37	35	10	700	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
754

REMARKS

00-04: MOORED PORT SIDE TO PIER FIVE (5), U.S. NAVAL STATION, ADAK, ALASKA WITH FOUR $1\frac{3}{4}$ INCH SPRING LAY LINES PLUS ONE (1) 8 INCH MANILA LINE FORWARD, AND ONE (1) 8 INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-292) AND VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER, U.S. NAVAL STATION, ADAK, ALASKA.

H. B. Swann, ENS, USNR

0408: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

H. B. Swann, ENS, USNR

APPROVED:

EXAMINED:

[Signature] LCDR U. S. N. COMMANDING

[Signature] E. B. March LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)

MONDAY 9 APRIL, 19 62
(Day) (Date) (Month)

08-12. Moored as before. 0810 Made daily inspection of magazine temperature and smother power sampler. Condition normal. 0930 Tested number one (1) and number two (2) motor whale boat. Test satisfactory.

J. H. Sappes CWO U.S.N.

12-16. Moored as before. 1430 The following passenger came aboard JOHN NEVZOROFF and INNOKENTY GOLOROFF in accordance with COMALASAFRON MESSAGE 050141Z of April 1962.

J. H. Sappes CWO U.S.N.

16-20. Moored as before. 1800 Set material Condition "Yoko" second deck and below.

J. H. Sappes CWO U.S.N.

20-24. Moored as before. 2100 ENS. R. N. RIDELL, USNR of U. S. Naval Station, Adak, Alaska came aboard as passenger and observer for Adak, Alaska. 2200 JIM TOZER came aboard as passenger to Adak, Alaska.

J. H. Sappes CWO U.S.N.

APPROVED:

EXAMINED:

[Signature] LCDR, U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNARI (ATF-96) ZONE DESCRIPTION +11 DATE TUESDAY 10 APRIL, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	200	4	3	OVC	30.45	37	35	10	700	SC			
02	200	5	3	OVC	30.45	37	35	10	700	SC			
03	200	4	3	OVC	30.47	37	35	10	700	SC			
04	200	3	3	OVC	30.47	38	35	10	1050	CU			
05	200	5	3	OVC	30.46	38	35	10	1050	CU			
06	275	6	3	BKN	30.44	38	36	8	700	SC			
07	110	4	4	BKN	30.44	39	37	8	700	SC			
08	240	6	4	BKN	30.44	40	37	8	1050	CU			
09	240	6	4	BKN	30.44	40	39	8	350	CU			
10	240	6	4	BKN	30.44	40	39	8	350	SC			
11	260	5	4	BKN	30.42	40	39	9	350	ST			
12	260	13	4	OVC	30.39	41	39	10	700	SC			
13	250	20	3	OVC	30.38	41	39	10	700	SC			
14	240	14	3	OVC	30.36	42	40	10	700	SC			
15	240	14	2	OVC	30.35	42	40	10	700	SC			
16	275	18	1	OVC	30.36	41	39	10	700	SC			
17	200	19	1	L	30.38	41	40	10	350	ST			
18	270	19	1	L	30.36	41	39	10	700	NS			
19	270	18	1	R	30.36	40	39	10	370	NS			
20	250	19	1	R	30.39	40	39	10	350	NS			
21	255	20	1	R	30.39	40	39	10	350	NS			
22	255	20	1	R	30.38	40	39	10	350	NS			
23	255	20	1	R	30.38	40	39	10	350	NS			
24	260	16	1	R	30.40	40	39	10	350	NS			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
138

FUEL CONSUMED 0000-2400
1982

REMARKS

00-04. Moored port side to pier five (5) U. S. Naval Station Adak, Alaska. with four (4) 1 3/4 inch spring lag, plus one (1) light inch manila forward and one (1) light inch manila aft. Receiving miscellaneous services from the pier. Ship present include U. S. C. G. S. Clover (WAGL-792) and various district craft. Condition of the ship S.O.P.A. is Commanding Officer U. S. Naval Station Adak, Alaska.

J. K. Haffey CWO U.S.N.

04-08: MOORED AS BEFORE. 0515 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0525 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. 0535 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0545 COMPLETED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0600 UNDERWAY IN ACCORDANCE WITH NAVSTA ADAK MSG 052249Z. CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE. MAKING VARIOUS COURSES AND SPEEDS TO CONFORM WITH MANEUVERING OUT OF HARBOR. 0607 PASSED BREAKWATER LIGHT ABEAM TO PORT. DISTANCE 400 YARDS.

APPROVED:

EXAMINED:

J. K. Haffey CDR U. S. N. COMMANDING

E. B. March LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)TUESDAY 18 APRIL, 19 62
(Day) (Date) (Month)

04-08 (CONTINUED) 0609 STEADY ON COURSE 072°, A/HEAD 120 RPM (14.3 KNOTS). 0618 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 0621 1/2 TO 084°; 0714 1/2 TO 078°. 0745 TESTED SHIPS WHISTLE, SIREN, GENERAL AND CHEMICAL ALARMS; TEST SATISFACTORY. 0749 1/2 TO 066°.

H. K. Swann, ENS, USNR.

08-12. Underway as before. 0821. Tested H1 and H2 Motors while boat, test satisfactory 0908. 1/2 063. 0948 Made daily inspection of magazine and smother power lamp. Condition normal. 1011 1/2 061°. 1037 1/2 058. 1115 1/2 060°.

J. H. Coffey CWO U.S.N.

12-16: UNDERWAY AS BEFORE. 1234 1/2 TO 058°. 1253 1/2 TO 090°. 1305 1/2 TO 121°. 1347 1/2 TO 180°. 1408 1/2 TO 204°. 1425 1/2 TO 242°. COMMENCED MAKING PREPARATIONS FOR ENTERING PORT. 1436 1/2 TO 270°. 1440 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1448 1/2 TO 290°, 1/5 TO 110 RPM (13.3 KNOTS). 1449 1/5 TO 75 RPM (9.5 KNOTS) ANCHORS READY FOR LETTING GO. 1455 1/2 TO 270°. 1501 1/2 TO 250°, 1/5 TO 50 RPM (6.7 KNOTS). 1508 1/2 TO 265° 1/5 TO 25 RPM (3.3 KNOTS). 1511 A/STOP. 1512 ¹¹⁴⁵ ~~8/25~~ BACK 1/3, BACK 2/3. A/STOP. LET GO PORT ANCHOR IN 25 FATHOMS OF WATER ON THE FOLLOWING BERINGS: CONE ROCK 264°, POINT P. 033°, UYAK ISLAND 105°. SAND AND SHALE BOTTOM. 75 FATHOMS OF CHAIN VEERED TO THE PORT ANCHOR. SOPA IS COMMANDING OFFICER, U.S.S. ABNAKI (ATF-96). 1521 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

H. K. Swann, ENS, USNR.

16-20 ANCHORED AS BEFORE


E. B. Marsh LTJG USNR

20-24 ANCHORED AS BEFORE. 2215 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 2235 SET SPECIAL SEA AND ANCHOR DETAIL. 2240 COMMENCED HEAVING IN THE ANCHOR. 2256 UNDERWAY FROM NAZAN BAY ATKA ALASKA TO ADAK, ALASKA FIRST LIEUTENANT HAS THE CONN, CAPTAIN AND NAVIGATOR ON THE BRIDGE, MAKING VARIOUS COURSE AND SPEED CHANGES NECESSARY TO CLEAR THE HARBOR. 2313 SECURED SPECIAL SEA AND ANCHOR DETAIL, STEADY ON COURSE 090°T, SPEED 12.3 KNOTS (100 RPM). 2336 1/2 TO 075°T, 1/5 TO 14.3 KNOT (120 RPM).

E. B. Marsh LTJG USNR

APPROVED:

EXAMINED:



U. S. N. COMMANDING

E. B. Marsh LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION + 11 DATE WEDNESDAY 11 APRIL, 1962
(Day) (Date) (Month)
AT/PASSAGE FROM ATKA, ALASKA TO ADAK, ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	230	30	3	FW	30.38	40	39	10	350	NS	48	300	5
02	210	19	3	L	30.38	40	39	10	350	NS	48	300	5
03	200	18	3	L	30.31	40	39	10	350	NS	48	275	5
04	210	21	2	OVC	30.31	39	37	10	700	CU	48	235	4
05	240	19	2	OVC	30.31	38	37	10	350	ST	48	385	4
06	385	18	3	OVC	30.32	39	37	10	700	SC	48	315	3
07	380	15	4	BKN	30.34	39	38	9	350	ST	48	310	3
08	255	22	4	BKN	30.34	39	38	9	350	ST	48	300	3
09	260	21	4	BKN	30.36	39	38	9	350	ST	48	300	3
10	265	18	4	BKN	30.37	39	38	9	350	ST			
11	275	15	4	OVC	30.38	42	40	9	700	SC			
12	290	8	4	OVC	30.40	44	42	10	700	SC			
13	350	6	4	OVC	30.40	44	42	10	700	SC			
14	350	6	4	OVC	30.41	44	42	10	700	SC			
15	005	5	3	BKN	30.41	44	42	9	700	SC			
16	020	10	3	BKN	30.44	46	44	9	700	SC			
17	010	9	3	BKN	30.46	44	41	8	1050	FC			
18	005	6	3	BKN	30.48	42	39	7	1050	FC			
19	010	8	4	SC	30.49	40	38	5	700	SC			
20	010	5	4	SC	30.50	37	35	5	700	SC			
21	025	3	4	BKN	30.52	34	33	4	350	ST			
22	060	4	4	BKN	30.52	34	32	3	700	SC			
23	090	5	3	BKN	30.52	33	32	9	350	ST			
24	120	2	3	OVC	30.56	33	32	10	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
122

FUEL CONSUMED 0000-2400
1564

REMARKS

00-04 Underway independently enroute from Atka Alaska to Adak Alaska in accordance with verbal orders from Commander Sta, Adak Alaska on base course 025° speed 14.3 knots (120 RPM's). Number 1, 2, 3 and 4 main engines in the propulsion loop. Number 1 auxiliary generator on the line for ship's power and refrigeration. Material condition 2 edge is set. 0010 C/P to 000°, 353° PSTGC. 0017 sighted North Cape Light bearing 292°, distance approximately ten (10) miles. 0021 C/P to 300°, 290° PSTGC. 0059 C/P to 12.3 knots (100 RPM's). 0117 Passed North Cape Light abeam to port, distance approximately 1.8 miles. 0121 C/P to 270°, 257° PSTGC. 0153 C/P to 240°, 229° PSTGC. JG Napp, CWO, USN.

04-08 UNDERWAY AS BEFORE. 0457 C/P to 14.3 knots (120 RPM). 0605 C/P to 254° T. 0716 C/P to 246° T.

APPROVED:

EXAMINED:

E.B. Masch LTJG USNR

J. H. L. CDR U. S. N. COMMANDING

E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)WEDNESDAY 11 APRIL 1962
(Day) (Date) (Month)

0812 Underway as before. 0800 Mustard to crew on station, absentees none. 0806 °C 75.4°. 0825 °C 76.7°. 0848. Made daily inspection of magazines and smelter power sampler. Condition normal. 0851 °C 76.4°. 0854 ENS. RIDELL Conning to ship. 0874 0908 °C 76.8°. 0912 °C 77.6°. 0916 °C 78.2°. 0917 95 RPM 9.5 kts. 0920 Set material condition Yoke through out to ship 0921. Exercise General Quarters 0922 H/A 1/3 0935 Set material condition Yoke. 0944 °C 77.0° 0946 Secured from General Quarters. 0950 H/A 38 RPM 5 kts. 0952 Exercise General Quarters 0954. All stations manned, condition Zebra set. 1000 Commenced Engineering Exercise Z-100-E, Z-80-E and Z-41-E. 1001 Commenced Damage Control Competitive Exercise Z-1-D, Z-31-D Z-32-D and Z-53-D. Manoeuvring on various courses at various speeds at General Quarters for exercises. 1105. Completed all Engineering and Damage Control drill, restored all casualties and equipment 1108 H/A 75 RPM. 9.5 kts. 1112 Set material condition Yoke. 1113 Secured from General Quarters. Set the special sea and anchor detail 1114 H/A 120 RPM 14.3 kts 1115 Captain conning navigator on the bridge. Steering various courses at various speeds standing in 20 Sweeper Cove, Adak Alaska. 1124. Passed Sunset Rock abeam to starboard approximately 600 yds. 1131 Passed Breakwater light abeam to starboard about approx 100 yds. 1132 Commenced making various courses and speed to move along side of pier five (5) Adak, Alaska 1138. Moved 1159. Secured the special sea and anchor detail, set to in port watch. Receiving service from the pier.

J. H. Haffey CWO USN.

12-16 copied as before. 1200 Secured the special sea and anchor detail.

J. F. Haffey, CWO, USN.

16-20 copied as before. 1655 USS Grayback (SSG 574) underway standing out of harbor. 1800 Set material condition "Yoke" second deck and below.

J. F. Haffey, CWO, USN.

20-24 copied as before.

J. F. Haffey, CWO, USN.

APPROVED:

EXAMINED:

J. H. Haffey LCDR,

U. S. N. COMMANDING

E. B. Marsh LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +11 DATE THURSDAY 12 APRIL, 1962
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	155	3	2	BKN	30.54	33	32	7	350	ST			
02	175	3	3	BKN	30.54	32	32	7	350	ST			
03	170	3	3	BKN	30.54	30	32	7	350	ST			
04	0	0	4	BKN	30.54	30	32	7	350	ST			
05	0	0	4	BKN	30.54	30	32	6	350	ST			
06	0	0	6	ST	30.54	30	32	5	350	ST			
07	0	0	6	ST	30.54	30	32	5	350	SC			
08	170	2	6	ST	30.54	44	40	5	1350	HC			
09	170	5	7	ST	30.54	42	36	5	2100	CU			
10	160	7	7	ST	30.54	39	37	5	700	SC			
11	170	7	5	OVC	30.53	40	36	9	1400	SC			
12	210	8	5	OVC	30.52	41	37	9	1400	CU			
13	195	7	4	OVC	30.50	40	37	10	1050	SC			
14	215	9	4	OVC	30.49	40	37	10	1050	SC			
15	205	6	4	OVC	30.47	41	38	10	1050	SC			
16	210	6	4	OVC	30.46	40	38	10	700	SC			
17	230	8	4	OVC	30.44	41	39	10	700	SC			
18	210	7	4	OVC	30.41	41	39	10	700	SC			
19	260	7	3	OVC	30.41	39	37	10	700	SC			
20	270	7	2	OVC	30.41	37	36	10	350	ST			
21	270	10	2	BKN	30.41	36	35	9	350	ST			
22	260	12	1	R	30.40	36	35	10	350	ST			
23	260	10	1	OVC	30.39	36	35	10	350	ST			
24	265	8	1	OVC	30.38	37	35	10	700	SC			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L. _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
838

REMARKS

00-04 clipped portside to both pier five (3) at U.S. Naval Station, Adak, Alaska, with four (4) 1 3/4 inch spungelay mooring lines, plus one (1) eight inch manila line forward and one (1) eight inch manila line aft. Receiving miscellaneous services from the pier. Ships present include various district craft and U.S. Coast Guard (WAGL 292). SOPA is Commanding Officer, U.S. Naval Station, Adak, Alaska.

J. J. Gupp, CWO, USN.

04-08 clipped as before. 0750 adjusted the crew at quarters for muster and inspection; absentees; none.

J. J. Gupp, CWO, USN.

APPROVED:

EXAMINED:

[Signature] LCDR U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNARI (ATF-96) THURSDAY 12 APRIL 19 61
(Day) (Date) (Month)

~~08-12~~: MOORED AS BEFORE. ~~0920~~ USCGS CLOVER (WAGL-292)
STOOD OUT OF THE HARBOR. 1125 MADE DAILY INSPECTIONS OF
MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS
NORMAL.

H. K. Swan, ENS, USNR.

12-16: MOORED AS BEFORE. 1550 HMCS ASSINIBOINE (DDE-234)
STOOD INTO THE HARBOR. 1555 HMCS MARGAREE (DDE-230)
STOOD INTO THE HARBOR. 1558 HMCS OTTAWA ^{HKS} STANBURN
(DDE-229) STOOD INTO THE HARBOR.

H. K. Swan, ENS, USNR.

16-20: MOORED AS BEFORE. 1653 USCGS CLOVER (WAGL-292)
STOOD INTO THE HARBOR. 1800 SET MATERIAL CONDITION
YOLKE.


H. K. Swan, ENS, USNR.

20-24: MOORED AS BEFORE.

H. K. Swan, ENS, USNR.

APPROVED:

EXAMINED:

 E. B. Masch LTJG, U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE FRIDAY 13 APRIL, 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	260	10	2	L	30.35	37	35	10	700	SC			
02	265	13	2	R	30.34	37	35	10	700	NS			
03	260	9	2	L	30.31	37	35	10	700	NS			
04	245	8	2	OVC	30.30	35	32	10	1050	SC			
05	235	9	2	OVC	30.29	35	32	10	1050	SC			
06	245	10	3	OVC	30.28	35	32	10	1050	SC			
07	250	9	3	OVC	30.27	35	32	10	1050	SC			
08	250	9	4	OVC	30.26	39	37	10	700	SC			
09	250	10	4	OVC	30.25	40	38	10	700	SC			
10	245	14	5	OVC	30.24	40	37	10	1050	CU			
11	260	16	5	OVC	30.21	40	38	10	700	SC			
12	265	20	5	OVC	30.18	42	40	10	700	SC			
13	260	20	5	L	30.14	42	41	10	350	ST			
14	265	20	4	L	30.14	40	40	10	0	ST			
15	260	15	5	L	30.14	40	40	10	0	ST			
16	270	16	3	OVC	30.14	44	42	9	700	SC			
17	300	18	2	OVC	30.13	41	39	9	700	SC			
18	310	17	3	BKN	30.13	40	38	8	700	SC			
19	280	15	4	BKN	30.16	38	36	7	700	SC			
20	270	10	3	BKN	30.17	36	35	7	350	ST			
21	270	14	3	SC	30.19	37	35	5	700	SC			
22	270	10	4	BKN	30.20	37	35	7	700	SC			
23	275	15	4	BKN	30.21	37	35	7	700	SC			
24	280	16	4	BKN	30.23	37	35	7	700	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
652

REMARKS

~~00-04~~: MOORED PORT SIDE TO ^{HKS} PIER FIVE (5), U.S. NAVAL STATION, ADAK, ALASKA WITH FOUR (4) $1\frac{3}{4}$ INCH SPRING LAY LINES PLUS ONE (1) 8 INCH MANILA LINE FORWARD AND ONE (1) 8 INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGB-292), HMCS OTTAWA (DDF-229), HMCS MARGAREE (DDF-236), HMCS ASSINIBOINE (DDF-234) AND VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER, U.S. NAVAL STATION, ADAK, ALASKA.

H.K. Swan, ENS, USNR

~~04-08~~: MOORED AS BEFORE. ^{HKS} MUSTERED 0750 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

H.K. Swan, ENS, USNR

APPROVED:

EXAMINED:

[Signature] LCDR, U. S. N. COMMANDING

[Signature] E. B. Masch, LTJG, U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)FRIDAY 13 APRIL, 1962
(Day) (Date) (Month)

08-12. Moored as before 0840 Commenced taking on fuel
Draft Fwd 13'6" Aft 16'6". 0845 HMCS Ottawa
(DDE-229) underway from pier ten (10) to pier four
(4). 0850 HMCS Margaret (DDE-230) underway from
pier four (4) to pier ten (10) to move out
board to HMCS Assiniboine (DDE-234). 0900 Made
daily inspection of magazine and smokeless powder
samples. Condition normal. Made weekly inspection
of magazine sprinkling system, test satisfactory.
0930 M.A.C. Lt. A. Clever (WAGL-292) stood out
of Sweeper Cove. 1103rd Lt. A. 1110 Secured from fuel-
ing Draft Fwd 13'8" Aft 16'4". Received on board
5,107 gallons of diesel fuel

J. H. Hopper CWO U.S.N.

12-16 Moored as before. 1535 HMCS Margaret (DDE-230)
standing out of Sweepers Cove Channel. 1540 HMCS
Assiniboine (DDE-234) standing ^{9th} ~~out~~ out of Sweepers
Cove Channel. 1550 HMCS Ottawa (DDE-229) standing
out of Sweeper Cove Channel.

J. H. Hopper CWO U.S.N.

16-20 Moored as before 1800 Set material Condition
Yoke second deck and below.

J. H. Hopper CWO U.S.N.

20-24. Moored as before

J. H. Hopper CWO U.S.N.

APPROVED:

EXAMINED:

[Signature] LCDR, U.S.N. COMMANDING

E.B. Masch LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SATURDAY 14 APRIL, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	280	16	4	BKN	30.23	37	35	7	700	Sc			
02	280	16	4	BKN	30.23	37	35	7	700	Sc			
03	280	16	4	BKN	30.22	38	36	8	700	Sc			
04	280	20	4	BKN	30.22	38	35	8	1050	Sc			
05	280	20	4	BKN	30.22	39	36	9	1050	Sc			
06	280	22	3	OVC	30.23	40	37	10	1050	Sc			
07	280	22	3	OVC	30.24	42	40	10	700	ST			
08	270	24	3	OVC	30.24	43	41	10	700	ST			
09	270	24	4	BKN	30.25	44	42	9	700	ST			
10	270	28	4	BKN	30.26	44	42	8	700	ST			
11	270	24	4	BKN	30.26	45	43	9	700	ST			
12	265	24	4	OVC	30.26	45	43	10	700	ST			
13	265	28	4	OVC	30.28	46	44	10	700	ST			
14	270	28	4	OVC	30.28	45	43	10	700	ST			
15	270	14	5	OVC	30.30	45	43	10	700	Sc			
16	280	16	5	OVC	30.30	44	42	10	700	Sc			
17	280	14	5	OVC	30.29	44	42	10	700	Sc			
18	280	16	5	OVC	30.28	44	42	10	700	Sc			
19	270	12	5	OVC	30.27	43	41	10	700	Sc			
20	270	12	5	BKN	30.25	42	40	8	700	Sc			
21	270	10	5	BKN	30.25	42	40	8	700	Sc			
22	270	8	5	BKN	30.24	40	38	8	700	Sc			
23	270	10	5	BKN	30.23	39	37	7	700	Sc			
24	270	10	5	BKN	30.23	37	35	7	700	Sc			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
600

REMARKS

00-04 Moored port side to pier five (5) U. S. Naval Station Adak, Alaska with four 1 3/4" spring lay lines plus one (1) light inch manila forward and one (1) light inch manila aft. Receiving miscellaneous service from the pier. Ship present include U. S. C. G. S. Clover (WAGL-792) and various district craft. A. O. D. A. is Commanding Officer U. S. Naval Station Adak, Alaska.


J. H. Saffey CWO U.S.N.

04-08 Moored as before

J. H. Saffey CWO U.S.N.

APPROVED:

EXAMINED:

 E. B. Masch LTJG U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY 14 APRIL, 19 62
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0800 MUSTERED THE CREW ON STATION,
ABSENTEES NONE. 0823 MADE DAILY INSPECTION OF MAGAZINE
TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E. B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E. B. Masch LTJG USNR


16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

E. B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E. B. Masch LTJG USNR

APPROVED:



U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SUNDAY 15 April, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	270	10	5	BKN	30.83	37	35	7	700	SC			
02	250	12	5	BKN	30.84	37	35	7	700	SC			
03	250	14	5	BKN	30.84	37	35	7	700	SC			
04	275	14	5	BKN	30.84	37	35	7	700	SC			
05	275	20	5	BKN	30.85	37	35	7	700	SC			
06	275	20	5	BKN	30.84	37	35	7	700	SC			
07	270	20	5	BKN	30.84	37	35	7	700	SC			
08	265	21	3	BKN	30.88	38	35	7	1750	AC			
09	270	21	3	BKN	30.88	40	35	7	1750	AC			
10	270	20	3	BKN	30.50	40	35	8	1750	AC			
11	270	20	4	BKN	30.51	39	35	6	1400	CU			
12	300	15	4	BKN	30.52	39	35	8	1400	CU			
13	300	10	3	CU	30.53	40	35	8	1750	AC			
14	310	15	3	CU	30.54	41	37	8	1400	CU			
15	310	15	3	BKN	30.54	39	36	8	1050	CU			
16	305	10	4	CU	30.56	41	37	10	1400	SC			
17	290	15	2	OVC	30.58	38	35	10	1050	CU			
18	325	8	3	BKN	30.59	41	37	8	1400	SC			
19	350	2	3	BKN	30.41	39	35	9	1400	SC			
20	310	2	3	BKN	30.42	38	34	8	1400	SC			
21	330	1	3	BKN	30.44	38	34	8	1400	SC			
22	340	4	3	BKN	30.45	38	34	8	1400	SC			
23	345	9	4	BKN	30.45	36	33	7	1050	CU			
24	340	8	4	BKN	30.46	36	33	7	1050	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
387

REMARKS


00-04 MOORED PORT SIDE TO PIER FIVE (S) U.S. NAVAL STATION ADAK ALASKA WITH FOUR (4) 1 3/4" SPRINGLAY LINES PLUS ONE (1) EIGHT (8) INCH MANILA LINE FORWARD AND ONE (1) EIGHT (8) INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-292) PLUS VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER U.S. NAVAL STATION ADAK, ALASKA.

E. B. Masch LTJG USNR

04-08 MOORED AS BEFORE.

E. B. Masch LTJG USNR

APPROVED:

 E. B. Masch LTJG USNR
U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG USNR
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) SUNDAY 15 APRIL, 19 62
(Day) (Date) (Month)08-12 Monored as before. 0800 Mustered the crew on station
absentees: none. 1115 made daily inspection of magazines
and smokeless powder samples; conditions, normal.

J.F. Gripp, avo, USN.

12-16 Monored as before.

J.F. Gripp, avo, USN.


16-20 Monored as before. 1800 set material condition "prime"
second deck and below.

J.F. Gripp, avo, USN.

20-24 Monored as before.

J.F. Gripp, avo, USN.

APPROVED:

 LCDR

U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE MONDAY 16 APRIL, 1962
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	330	5	4	BKN	30.46	37	33	6	1400	AC			
02	335	5	4	BKN	30.48	37	33	5	1400	AC			
03	340	2	4	BKN	30.48	37	34	5	1050	AC			
04	350	2	3	BKN	30.48	37	34	5	1050	AC			
05	345	2	3	BKN	30.49	37	34	5	1050	AC			
06	340	3	3	BKN	30.50	38	35	8	1050	AC			
07	350	1	3	BKN	30.51	39	36	6	1050	AC			
08	355	1	4	BKN	30.51	42	37	6	1750	CU			
09	345	0	4	BKN	30.51	50	41	6	1750	CU			
10	340	4	4	BKN	30.52	50	40	6	1750	CU			
11	260	3	4	BKN	30.52	44	39	9	1750	SC			
12	240	7	5	BKN	30.53	56	42	8	1000	SC			
13	265	4	5	BKN	30.52	54	44	8	1500	SC			
14	260	3	5	BKN	30.51	47	42	8	1500	SC			
15	260	3	5	BKN	30.50	46	30	8	1500	SC			
16	255	2	5	OVC	30.48	49	40	10	1400	SC			
17	250	2	5	OVC	30.48	41	40	10	350	SC			
18	230	2	5	OVC	30.48	40	36	10	1400	SC			
19	280	2	5	OVC	30.49	40	39	10	380	SC			
20	270	4	3	OVC	30.49	39	37	10	700	ST			
21	300	4	3	OVC	30.49	39	37	10	700	ST			
22	285	5	3	OVC	30.48	39	37	10	700	ST			
23	210	5	3	OVC	30.48	39	37	10	700	ST			
24	240	5	3	OVC	30.48	39	37	10	700	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____ (ZT) _____ (Date)	
TO _____ (ZT) _____ (Date)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
628

REMARKS

00-04 Moored portside to pier five (5) at U.S. Naval Station Adak, Alaska, with four (4) 1 3/4 inch spring-lay mooring lines, plus one (1) eight manila V line forward and one (1) eight inch manila line aft. Receiving miscellaneous services from the pier. Ships present include U.S.C.G.S. Clover (WAGL 292) and various district craft. SOPA is Commanding Officer, U.S. Naval Station, Adak, Alaska.

J. J. Gupp, CWO, USN.

04-08 Moored as before. 0703 U.S.C.G.S. General Daniel F. Sultan moored portside to pier three (3). 0750 Mustered the crew at quarters for muster and inspection; absentees; none.

J. J. Gupp, CWO, USN.

APPROVED:

[Signature] LCDR, U. S. N. COMMANDING

EXAMINED:

[Signature] E. B. Masch LTJG, U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)MONDAY 16 APRIL, 19 62
(Day) (Date) (Month)

08-12: MOORED AS BEFORE. 1650 MADE DAILY INSPECTIONS OF MAGAZINES
AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H. F. Swann, ENS, USNR

12-16: MOORED AS BEFORE.

H. F. Swann, ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE. 1920
USNS GENERAL DANIEL I. SULTAN (TAP-120) STOOD OUT OF THE
HARBOR.

H. F. Swann, ENS, USNR

20-24: MOORED AS BEFORE. 2030: USCGS CLOVER (WAGL-292)
STOOD OUT OF THE HARBOR.

H. F. Swann, ENS, USNR

APPROVED:

EXAMINED:

[Signature] CDR, U. S. N. COMMANDINGE. B. March LTJG U. S. N. NAVIGATOR

E. B. Masch U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)TUESDAY 17 APRIL, 19 62
(Day) (Date) (Month)

08-12. Moored as before. 0815. Made daily inspections of
magazine temperatures and smokeless powder samples.
Conditions normal.

Jeffrey CWO U.S.N.

13-16. Moored as before.

Jeffrey CWO U.S.N.

16-20. Moored as before. 1804. Set Material Condition Yoke.
Second deck and below.

Jeffrey CWO U.S.N.

20-24. Moored as before.

Jeffrey CWO U.S.N.

APPROVED:

Amick LCDR

U. S. N. COMMANDING

EXAMINED:

E.B. Masch LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11X DATE WEDNESDAY 18 APRIL, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	290	15	3	OVC	29.99	35	33	10	700	ST			
02	280	10	2	OVC	30.01	35	32	10	700	ST			
03	310	15	1	5	30.06	35	32	10	700	ST			
04	320	15	2	OVC	30.50	35	33	10	500	ST			
05	320	15	3	5	30.12	35	30	10	300	ST			
06	340	20	3	5	30.15	35	31	10	500	ST			
07	310	20	3	OVC	30.20	34	31	10	1000	ST			
08	310	10	5	BKN	30.23	35	31	9	1000	ST			
09	330	10	5	BKN	30.26	37	33	7	1000	ST			
10	355	15	5	BKN	30.27	43	35	7	1000	ST			
11	355	17	5	BKN	30.60	54	41	7	1000	ST			
12	350	10	5	BKN	30.33	64	43	7	1000	ST			
13	350	10	4	BKN	30.23	45	43	9	750	ST			
14	360	10	2	BKN	30.34	46	43	9	1050	ST			
15	355	10	2	BKN	30.34	45	41	9	1400	ST			
16	355	10	3	BKN	30.34	45	39	9	2100	ST			
17	355	7	3	BKN	30.35	40	36	9	1400	SC			
18	300	7	2	S	30.36	37	35	9	700	SC			
19	281	5	2	BKN	30.37	36	34	9	700	SC			
20	275	7	2	S	30.38	35	34	9	350	SC			
21	240	10	2	S	30.38	36	34	9	350	SC			
22	245	12	2	S	30.38	35	33	9	700	SC			
23	290	13	2	S	30.38	35	33	9	700	SC			
24	290	13	2	S	30.38	35	33	9	700	SC			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L. _____	
MID. λ. _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
510

REMARKS

00-04. Moved port side to pier line (5) U. S. Naval station Adak, Alaska, which four (4) 1 3/4 inch spring lag lines plus one (1) light inch manila forward and one (1) light inch manila aft. Receiving miscellaneous service from the pier. Ships present include various district craft SOPA is commanding Officer U. S. Naval Station, Adak, Alaska, 0345 commenced blowing tubes 0350 secured blowing tubes

Jefferies CWO U.S.N.

04-08. Moved as before. 0750 Mustered the crew at Quarters for muster and inspection; absentees none

Jefferies CWO U.S.N.

APPROVED:

EXAMINED:

Rich L. LOR, U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY 18 APRIL, 19 62
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0847 MADE DAILY INSPECTION OF
MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS
NORMAL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.


E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED:

EXAMINED:



U. S. N. COMMANDING

E.B. Masch LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE THURSDAY 19 APRIL, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	290	10	2	BKN	30.39	34	34	8	700	SC			
02	295	10	2	BKN	30.39	34	34	8	700	SC			
03	300	12	2	BKN	30.39	34	34	7	700	SC			
04	300	11	2	BKN	30.39	34	34	8	700	SC			
05	285	12	2	BKN	30.39	34	34	8	700	SC			
06	290	13	2	L	30.39	37	35	10	700	SC			
07	290	10	2	BKN	30.41	38	35	8	1050	SC			
08	015	5	3	BKN	30.42	41	38	9	1050	SC			
09	030	2	2	BKN	30.43	47	42	9	1750	SC			
10	025	4	3	BKN	30.44	48	43	9	1750	SC			
11	000	10	5	BKN	30.46	47	42	9	1750	SC			
12	340	8	3	BKN	30.46	47	42	9	1750	SC			
13	350	8	3	BKN	30.46	47	42	9	1750	SC			
14	355	5	3	BKN	30.46	47	42	9	1750	SC			
15	002	5	3	BKN	30.46	47	42	9	1750	SC			
16	005	15	3	BKN	30.46	46	44	5	700	SC			
17	010	10	3	BKN	30.47	48	44	7	1400	SC			
18	295	4	4	BKN	30.48	46	45	8	1400	SC			
19	010	10	4	BKN	30.49	40	38	8	200	SC			
20	015	3	5	SC	30.50	34	35	3	1400	SC			
21	010	2	5	SC	30.52	34	35	3	1400	SC			
22	010	2	5	SC	30.53	35	34	3	1400	SC			
23	015	3	5	SC	30.54	35	34	3	1400	SC			
24	355	3	5	SC	30.52	35	34	3	1500	SC			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
462

REMARKS


00-04 MOORED PORT SIDE TO PIER FIVE(S) U.S. NAVAL STATION
ADAK, ALASKA WITH FOUR(4) 1 3/4" SPRINGLAY LINES PLUS ONE(1)
EIGHT(8) INCH MANILA LINE FORWARD AND ONE(1) EIGHT(8) INCH
MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM
THE PIER. SHIPS PRESENT INCLUDE VARIOUS DISTRICT CRAFT, SOPA
IS COMMANDING OFFICER U.S. NAVAL STATION ADAK, ALASKA.

E.B. Masch LTJG USNR

04-08 MOORED AS BEFORE. 0750 HELD QUARTERS FOR MUSTER AND
INSPECTION, ABSENTEES NONE.

E.B. Masch LTJG USNR

APPROVED:

 LCDR U. S. N. COMMANDING

EXAMINED:

E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96)THURSDAY 19 APRIL 1962
(Day) (Date) (Month)

08-12 Moored as before. 0830 made daily inspection of magazines and smokeless powder samples; conditions normal.

J. F. Shupp, CWO, USN

12-16 Moored as before. 1305 commenced taking on fuel. Draft forward 13'4" aft 16'6". 1354 ceased from taking on fuel. Draft forward 13'7" aft 16'0". Received 3,768 gallons of diesel fuel.

J. F. Shupp, CWO, USN

16-20 Moored as before. 1800 set material condition type second deck and below.

J. F. Shupp, CWO, USN

20-24 Moored as before.

J. F. Shupp, CWO, USN

APPROVED:

[Signature] LCDR, U.S.N. COMMANDING

EXAMINED:

E. B. Marsh LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +11 DATE FRIDAY 20 APRIL, 1962
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	320	3	5	SC	30.58	35	34	3	350	ST			
02	310	3	5	SC	30.50	35	35	3	0	ST			
03	310	3	5	CR	30.50	35	35	0	0	ST			
04	0	0	5	CR	30.50	36	35	0	350	ST			
05	0	0	7	CR	30.50	38	35	0	1050	SC			
06	270	5	7	CR	30.49	39	37	0	700	SC			
07	270	15	7	CR	30.45	39	37	0	700	SC			
08	270	15	7	CR	30.47	46	37	0	3150	AC			
09	270	17	7	CR	30.47	51	43	0	2800	AC			
10	270	18	7	CR	30.47	55	41	0	4900	CI			
11	270	15	7	CR	30.48	57	41	0	6400	CC			
12	270	20	7	CR	30.48	58	41	0	5850	CC			
13	270	20	7	CR	30.46	58	44	0	2800	CI			
14	270	15	7	CR	30.46	50	41	0	3150	CI			
15	270	15	7	CR	30.46	47	40	0	2450	AC			
16	275	16	7	CR	30.45	45	38	0	2450	AC			
17	270	10	7	CR	30.45	45	40	0	1750	CU			
18	280	13	7	CR	30.45	44	43	0	350	SC			
19	270	12	6	SC	30.45	42	37	4	1750	SC			
20	265	11	5	SC	30.45	42	37	5	1750	SC			
21	280	12	3	OVC	30.46	39	37	10	700	ST	39	340	2
22	280	12	3	OVC	30.46	39	37	10	700	ST	42	340	2
23	200	10	3	OVC	30.45	38	37	10	700	ST	42	200	2
24	180	10	4	BKN	30.45	38	37	8	330	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
51.6

FUEL CONSUMED 0000-2400
1786

REMARKS

00-04 Cleared port side to berth pier five (5) at U.S. Naval Station, Adak, Alaska with four (4) 1 3/4 inch spring day mooring lines, plus one (1) eight inch manila line forward and one (1) eight inch manila line aft. Receiving mail and other services from the pier. Ships present include various district craft. SOPA is Commanding Officer, U.S. Naval Station, Adak, Alaska.

J. J. Gupp, CWO, USN

04-08 Cleared as before. 0750 Cleared the crew at quarters for muster and inspection; absentees; none.

J. J. Gupp, CWO, USN

APPROVED:

EXAMINED:

[Signature] U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY 20 APRIL 19 62
(Day) (Date) (Month)

08-12: MOORED AS BEFORE. 0900^{hrs} MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 0925 MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM; TEST SATISFACTORY. 1120 MOORE, WILLIAM C., 888-93-86, RMC-PL, USN EMBARKED FOR TRANSPORTATION TO SEATTLE, WASHINGTON. AUTHORITY: COMMANDING OFFICER, NAVCOMMSTA ADAK VERBAL ORDERS.

H. B. Swan, ENS, USNR

12-16: MOORED AS BEFORE.

H. B. Swan, ENS, USNR

16-20: MOORED AS BEFORE. 1900 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 1945 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1950 COMPLETED PREPARATIONS FOR GETTING UNDERWAY. 1957 UNDERWAY FOR SEATTLE, WASHINGTON IN ACCORDANCE WITH NAVSTA ADAK MESSAGE 180129Z AND COMSERVPAC MSG 072357Z; CAPTAIN HAS THE CONN. NAVIGATOR IS ON THE BRIDGE. MAKING VARIOUS COURSE AND SPEED CHANGES TO CONFORM WITH ADAK HARBOR.


H. B. Swan, ENS, USNR

20-24 UNDERWAY AS BEFORE. 2002 STEADY ON COURSE 090°T, SPEED 14.3 KNOTS (120 RPM). 2005 °C TO 072°T, 2013 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 2030 ADVANCED ALL CLOCKS ONE(1) HOUR TO CONFORM WITH PLUS TEN(+10) TIME ZONE. 2211 °C TO 078°T. 2247 °C TO 075°T. 2255 °C TO 125°T, TRANSITING CHUGUL PASS. 2324 COMPLETED TRANSIT OF CHUGUL PASS, ENTERED WATERS OF THE PACIFIC OCEAN.

E. B. Masch LTJG USNR

APPROVED:

EXAMINED:



U. S. N. COMMANDING

E. B. Masch LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAWI (ATF-96) ZONE DESCRIPTION + 11 DATE SATURDAY 21 APRIL, 1962
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO SEATTLE, WASHINGTON

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	185	11	5	SC	30.42	39	32	5	2450	SC	42	185	1
02	102	10	5	SC	30.42	39	37	5	700	SC	42	110	1
03	145	13	5	BKN	30.40	38	37	7	350	SC	42	150	1
04	153	9	5	BKN	30.40	37	36	9	350	SC	42	070	3
05	150	8	5	BKN	30.40	36	35	9	350	SC	42	070	3
06	290	17	5	BKN	30.39	37	36	9	350	SC	42	070	3
07	315	18	5	BKN	30.38	38	37	8	350	SC	42	070	3
08	310	13	5	BKN	30.38	39	37	9	700	SC	42	350	3
09	340	18	5	BKN	30.38	39	37	9	700	SC	42	395	3
10	340	18	5	OVC	30.38	39	37	10	700	SC	42	300	3
11	235	21	5	OVC	30.38	39	37	10	700	SC	42	275	3
12	150	9	5	OVC	30.36	39	37	10	700	SC	42	220	3
13	180	7	5	OVC	30.34	37	36	10	350	SC	42	170	4
14	184	4	5	OVC	30.33	39	37	10	700	SC	42	165	4
15	178	5	5	OVC	30.33	38	36	10	700	SC	42	150	4
16	155	22	5	OVC	30.30	38	36	10	700	SC	42	160	5
17	340	16	5	OVC	30.30	38	36	10	700	SC	42	170	5
18	340	18	5	OVC	30.28	37	35	10	700	SC	42	180	5
19	340	19	5	OVC	30.25	37	35	10	700	SC	42	200	5
20	328	21	5	OVC	30.25	38	37	10	350	ST	42	210	5
21	340	18	4	OVC	30.25	39	38	10	350	ST	43	220	5
22	240	18	3	OVC	30.25	39	38	10	350	ST	43	230	5
23	310	13	3	OVC	30.25	39	38	10	350	ST	43	235	4
24	135	15	5	BKN	30.23	39	38	7	350	ST	43	200	4

POSITION	ZONE	TIME
0800		
L <u>51-41.0N</u>	BY <u>1</u>	
λ <u>173-07.0W</u>	BY <u>1</u>	
1200		
L <u>51-59.0N</u>	BY <u>2-4</u>	
λ <u>172-03.5W</u>	BY <u>2-4</u>	
2000		
L <u>51-53.5N</u>	BY <u>2-4</u>	
λ <u>169-21.5W</u>	BY <u>2-4</u>	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
<u>286.7</u>

FUEL CONSUMED 0000-2400
<u>2850</u>

REMARKS

00-04 Underway independently from Adak, Alaska to Seattle Washington in accordance with Co Nav Sta, Adak, Alaska msg 180129Z and Com Sev Pac msg 072357Z April 62 on Course 125° PGC 118° PSTGC, Speed 13.3 knots (110 RPM) with numbers 1, 2 and 4 main generator in the propulsion loop and number 1 auxiliary generator on ships power and excitation. Material Condition Yoke set 0024°C 122° PGC 115° PSTGC. 0715 at Lat 51:30'N Long 175.0°W took departure Course 083° PGC 077° PSTGC

Jeffrey CWO U.S.N.

04-08: UNDERWAY AS BEFORE. 0745 TESTED SHIPS WHISTLE, SIREN, GENERAL AND CHEMICAL ALARMS; TEST SATISFACTORY.

W. J. Lewis, ENS, USNR

APPROVED:

Rich. LCDR, U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG, U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ARBNAKI (ATF-96) SATURDAY 21 APRIL, 19 62
(Day) (Date) (Month)

08-12 Underway as before. 0800 Mustered the crew on station; absence none. 0822 Lighted off starboard steering motor. 0832 Took number (3) main generator out of its propulsion loop put in number (2) main generator in its propulsion loop. Speed 13.3 knots (110 R.P.M.) 0841 Shifted steering to starboard unit secured port unit. 1102 Made daily inspection of magazine and smokeless power sample, condition normal.

J. A. Hoffer CWO U.S.N.

12-16 UNDERWAY AS BEFORE. 1220 9° C TO 087° T. 1325 CLASS "C" FIRE IN COMPARTMENT B-1-E IN VENTILATING SYSTEM. 1327 CLASS "C" FIRE IN COMPARTMENT B-1-E EXTINGUISHED, VENTILATOR OUT OF COMMISSION; NO PERSONNEL CASUALTIES.

E. B. Masch LTJG USNR

16-18 UNDERWAY AS BEFORE.

E. B. Masch LTJG USNR

18-20 UNDERWAY AS BEFORE. 1907 9° C TO 077° T.

E. B. Masch LTJG USNR

20-24 Underway as before

J. A. Hoffer CWO U.S.N.

APPROVED:

EXAMINED:

[Signature] LCDR, U.S.N. COMMANDING

E. B. Masch LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY 22 APRIL, 19 62
(Day) (Date) (Month)
*PASSAGE FROM ADAK, ALASKA TO SEATTLE, WASHINGTON

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	150	13	5	BKN	30.83	38	36	7	700	SC	43	150	3
02	115	12	5	BKN	30.83	37	36	8	350	SC	43	120	3
03	140	15	5	BKN	30.82	37	36	8	350	SC	43	140	3
04	200	10	5	SET	30.82	36	34	5	700	SC	43	140	3
05	210	10	5	SET	30.82	36	34	4	700	SC	43	140	3
06	250	9	7	SET	30.81	36	34	4	700	SC	43	140	3
07	290	8	7	SET	30.81	36	34	2	700	SC	43	140	3
08	290	8	7	SET	30.80	36	35	3	700	SC	43	140	3
09	310	8	7	SET	30.80	38	35	3	700	SC	43	200	3
10	305	6	7	SET	30.80	38	35	3	700	SC	43	200	2
11	305	9	7	SET	30.80	38	35	3	700	SC	43	200	2
12	060	5	7	SET	30.81	39	36	3	1050	SC	43	190	2
13	110	6	7	BKN	30.18	39	36	8	1050	SC	43	180	2
14	105	6	7	BKN	30.12	41	37	8	1400	CU	43	150	2
15	115	6	7	BKN	30.11	52	38	8	1400	CU	43	145	2
16	300	12	7	BKN	30.10	49	45	8	1400	CU	43	160	2
17	305	15	7	BKN	30.08	47	43	8	1400	CU	43	170	2
18	305	16	7	BKN	30.06	43	40	8	1050	SC	43	170	2
19	300	15	7	BKN	30.05	38	35	8	1050	SC	43	170	2
20	290	16	6	BKN	30.04	39	37	8	700	SC	43	150	2
21	350	8	5	BKN	30.02	39	38	8	350	SC	43	200	2
22	338	6	4	OVC	30.01	39	38	10	350	ST	43	250	2
23	322	6	3	SET	30.00	38	37	5	350	ST	43	300	2
24	320	6	3	SET	30.00	38	37	5	350	ST	43	310	2

0800
L 52-03.5N BY 1
λ 165-09.0W BY 1
1200
L 52-00.5N BY 1
λ 163-40.5 BY 1
2000
L 52-17.0N BY 4
λ 160-58.8W BY 4
LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0600 305.3

FUEL CONSUMED
0000-2400
2997

REMARKS

00-04 Underway independently from Adak, Alaska to Seattle, Washington in accordance with ComNav-Sta, Adak, Alaska msg. 180129Z and ComNavPac msg. 072357Z on course 083°, speed 13.3 knots (110 rpm) with numbers 2, 3 and 4 main generators in the propulsion loop and ships power and excitation on number #1 auxiliary generator. Material condition 2/ok ref. 0156 g/s at 11.8 knots (95 rpm's). 0218 c/s to 13.3 knots (110 rpm's).

J. J. Mupp, CWO, USN.

04-08: UNDERWAY AS BEFORE. 0745 TESTED SHIPS WHISTLE, SIREN, GENERAL AND CHEMICAL ALARMS; TEST SATISFACTORY.

W. J. Brown ENS, USNR

APPROVED:

EXAMINED:

Philip LCDR U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP AGNAKI (ATF 96)SUNDAY 22 APRIL, 19 62
(Day) (Date) (Month)

08-12 Underway as before. 0800 C/P to 0820, 072 PSTGC.
 Mustered the crew on stations; absentees: none. 0810
 Made daily inspection of magazines and smoke-
 less powder samples; conditions normal.

J. J. Gupp, CWO, USN

12-16 UNDERWAY AS BEFORE.

E. B. Masch LTJG USNR

16-18 Underway as before. 1600 C/P 0800T, 0630 PSTGC
 1652 Took one main generator out of the propulsion
 loop and put number three generator in its loop

J. E. Haffey CWO USN.

18-20 UNDERWAY AS BEFORE.

E. B. Masch LTJG USNR

20-24 Underway as before.

J. J. Gupp, CWO, USN.

APPROVED:

EXAMINED:

[Signature] LCDR, U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY 23 APRIL, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO SEATTLE, WASHINGTON

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	325	16	5	RKN	29.98	38	37	8	350	SC	43	200	2
02	320	14	5	RKN	29.96	38	37	8	350	SC	43	200	2
03	310	19	5	OVC	29.94	38	37	9	350	SC	43	250	2
04	315	18	5	OVC	29.93	37	36	10	350	SC	43	290	2
05	320	19	5	OVC	29.93	37	36	10	350	SC	43	290	2
06	320	22	5	OVC	29.93	37	36	10	700	CU	43	290	2
07	320	20	5	OVC	29.93	38	36	10	700	CU	43	290	2
08	340	13	5	OVC	29.91	38	37	10	700	CU	43	270	2
09	216	5	5	OVC	29.90	39	38	10	350	CU	43	290	2
10	230	7	5	OVC	29.90	39	37	10	700	CU	43	280	2
11	234	10	4	OVC	29.90	41	39	10	700	CU	43	270	2
12	300	15	4	OVC	29.86	41	38	10	700	ST	43	260	2
13	300	15	4	OVC	29.86	42	38	10	700	ST	43	260	2
14	305	14	4	OVC	29.85	49	41	10	700	CU	43	260	2
15	295	13	4	OVC	29.84	49	41	10	700	CU	43	260	2
16	300	15	5	OVC	29.82	43	42	10	350	CU	43	260	2
17	300	14	5	OVC	29.82	42	40	10	700	CU	43	260	2
18	325	8	5	OVC	29.83	40	38	10	700	CU	43	260	2
19	320	8	5	OVC	29.83	40	38	10	700	CU	43	260	2
20	040	9	4	OVC	29.82	39	37	10	700	CU	43	030	2
21	035	12	5	OVC	29.82	38	36	9	700	SC	43	030	3
22	055	13	5	OVC	29.82	38	36	10	700	SC	43	045	3
23	045	15	3	L	29.81	37	36	10	350	ST	43	045	3
24	010	8	3	L	29.80	37	36	10	350	ST	43	050	3

POSITION	ZONE	TIME
0800		
L <u>52-44N</u>	BY <u>2</u>	
λ <u>156-44W</u>	BY <u>2</u>	
1200		
L <u>52-40.3N</u>	BY <u>1</u>	
λ <u>155-30.5W</u>	BY <u>1</u>	
2000		
L <u>52-50N</u>	BY <u>2</u>	
λ <u>152-33W</u>	BY <u>2</u>	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L. _____	
MID. λ. _____	

MILES STEAMED 0000-2400
<u>308.2</u>

FUEL CONSUMED 0000-2400
<u>2874</u>

REMARKS

00-04. Underway independently from Adak, Alaska to Seattle Washington in accordance with CO Nav Sta, Adak, Alaska msg 180129Z and Com Nav Pac msg 072357Z of April 62. On Course 080°. Speed 13.3 knots (110 RPM) with number 2, 3 and 4 main generator in the propulsion loop, number 1 auxiliary generator on ship power and excitation. Material Condition Yoke set. 0123 Commenced blowing tubes 0128 resumed blowing tubes

JE Hopper CWO U.S.N.

04-08: UNDERWAY AS BEFORE. 0745 TESTED SHIPS WHISTLE, SIREN, GENERAL AND CHEMICAL ALARMS; TEST SATISFACTORY.

W. H. Brown, ENS, USNR

APPROVED:

W. H. Brown U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP HIBAKI (ATF-96) MONDAY 23 APRIL 19 62
(Day) (Date) (Month)

08-12 Underway as before 0800 Mustered the crew on station; observers went. 0825 Made daily inspection of magazines and smokes power samples, Condition normal. 0834 C/C 0830 (T) PSTGC 0690. 0935 Took number (4) main generator out of its propulsion loop, Put number (1) main generator in its propulsion loop speed 13.3 knots (110 RPM) 1150 Commenced blowing tubes 1150 Commenced blowing tubes 1156 Secured from blowing tubes

J. Haffey CWO U.S.N.

12-16 UNDERWAY AS BEFORE.

E. B. Masch LTJG USNR

16-18 Underway as before

J. Haffey CWO U.S.N.

18-20 UNDERWAY AS BEFORE.


E. B. Masch LTJG USNR

20-24 Underway as before

J. Haffey CWO U.S.N.

APPROVED:

EXAMINED:



U. S. N. COMMANDING

E. B. Masch LTJG

U. S. N. NAVIGATOR

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY 24 APRIL 1962
(Day) (Date) (Month)

08-12 Underway as before. 0800 Mustered the crew on station; absentees; none. 0820 Made daily inspection of magazines and smokeless powder dampst; conditions; normal.

J. J. Gupp, CWO, USN

12-16 UNDERWAY AS BEFORE. 1305 °C TO 097°T. 1310 °C TO 098°T. 1410 CONDUCTED ANNUAL TEST OF PYROTECHNICS AND VERY PISTOLS; TEST SATISFACTORY. 1411 SHIFTED STEERING CONTROL TO AFTER STEERING FOR INDOCTRINATION OF NEW HELMSMAN, STEERING BY RUDDER ANGLE INDICATOR. 1418 SHIFTED STEERING CONTROL BACK TO THE BRIDGE.

E. B. Masch LTJG USNR

16-18 Underway as before.

J. J. Gupp, CWO, USN

18-20 UNDERWAY AS BEFORE.

E. B. Masch LTJG USNR

20-24 Underway as before.

J. J. Gupp, CWO, USN

APPROVED:

EXAMINED:

[Signature] LCDR, U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +9 DATE WEDNESDAY 25 APRIL, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO SEATTLE WASHINGTON

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	045	5	5	BKN	29.74	39	38	8	350	SC	44	630	2
02	055	6	4	RW	29.74	40	38	10	700	SC	48	035	2
03	070	8	3	R	29.74	39	37	10	700	NS	48	045	2
04	245	15	4	BKN	29.73	39	37	8	700	NS	48	240	2
05	235	3	5	L	29.72	40	38	8	700	AC	48	240	2
06	265	6	5	BKN	29.73	41	39	9	700	NS	48	250	2
07	270	6	6	BKN	29.73	43	40	8	700	CU	48	250	2
08	290	12	6	BKN	29.76	44	41	9	1050	CU	48	250	2
09	290	12	6	BKN	29.77	46	43	9	1050	CU	48	250	1
10	200	5	6	OVC	29.77	46	43	9	1050	CU	48	190	1
11	265	12	7	OVC	29.78	47	44	9	1050	CU	49	200	2
12	255	12	7	OVC	29.79	45	41	8	1400	SC	49	240	2
13	280	14	7	BKN	29.80	50	45	8	1750	AC	49	250	2
14	260	12	7	BKN	29.80	52	45	8	3000	CC	49	250	2
15	260	10	7	BKN	29.80	57	46	8	3000	CC	49	250	2
16	240	8	7	SC	29.80	54	49	5	1200	CC	49	240	2
17	260	7	7	SC	29.80	58	46	5	4200	CC	49	240	2
18	220	9	7	SC	29.80	55	48	5	2400	CC	49	230	2
19	280	9	7	SC	29.80	48	41	5	1400	CC	49	230	2
20	275	8	6	SC	29.80	44	40	5	1050	CU	48	250	2
21	295	8	5	SC	29.82	43	40	4	1050	CU	48	260	2
22	290	6	5	SC	29.81	42	39	4	1050	CU	48	260	2
23	295	8	5	SC	29.81	42	39	4	1050	CU	48	270	2
24	300	12	5	SC	29.83	44	41	5	1050	CU	48	270	2

POSITION	ZONE	TIME
0800		
L <u>52-14N</u>	BY <u>2</u>	
λ <u>140-06W</u>	BY <u>2</u>	
1200		
L <u>51-58N</u>	BY <u>1-2</u>	
λ <u>138-42.5W</u>	BY <u>1-2</u>	
2000		
L <u>51-31.5N</u>	BY <u>1-2</u>	
λ <u>136-01.5W</u>	BY <u>1-2</u>	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400
314.1FUEL CONSUMED
0000-2400
2742

REMARKS


00-04 Underway independently from Adak, Alaska, to Seattle Washington in accordance with CONAV STA Adak, Alaska msg 180129Z and COMSERVPAC msg 072357Z April 62. On course 098°(T) speed 13.3 knots (110 RPM) with numbers 1, 3 and 4 main generator in the propulsion loop, number one auxiliary generator ship power and excitation motor in condition Yoke set. Number two auxiliary generator out of commission 0000 advanced all clocks one (1) hour to conform with +9 Victor time zone.

JCSAPPY CWO U.S.N.

445 ~~000~~ 04-08: UNDERWAY AS BEFORE. 0745 TESTED SHIPS WHISTLE, SIREN GENERAL AND CHEMICAL ALARMS; TEST SATISFACTORY.

WESLEY W. GNS, USNR

APPROVED:

 LCDR _____ U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)WEDNESDAY 25 APRIL, 19 62
(Day) (Date) (Month)

08-12 UNDERWAY AS BEFORE. 0800 MUSTERED THE CREW ON STATIONS, ABSENTEES NONE. 0824 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 0830 9°C TO 104°T .

E.B. Masch LTJG USNR

12-16 Underway as before. 1300 9°C TO 103° , 085° PST GC.

J.G. Kupp, CWO, USN

16-20: UNDERWAY AS BEFORE. 1833 TESTED RUNNING LIGHTS; TEST SATISFACTORY.


H. L. Seaman, ENS, USNR

20-24. Underway as before. 2103 Commenced transferring fuel from C-904-F to H-410-F. 2245 Secured pumping fuel.

J. G. Kupp CWO U.S.N.

APPROVED:

EXAMINED:



U. S. N. COMMANDING

E.B. Masch LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +9 ERM DATE THURSDAY 26 APRIL, 19 62
(Day) (Date) (Month)
TO SEATTLE, WASHINGTON
FROM ADAK, ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	320	10	6	ScT	29.85	44	43	5	1050	CU	48	300	1
02	320	9	6	ScT	29.82	43	40	4	1050	CU	48	300	1
03	315	9	6	ScT	29.81	43	40	4	1050	CU	48	300	1
04	315	10	7	BKN	29.80	43	40	8	1050	CU	48	315	1
05	305	10	7	BKN	29.80	43	41	8	200	CU	48	310	1
06	305	12	7	BKN	29.79	45	42	9	1050	CU	48	315	2
07	300	15	7	BKN	29.79	45	42	9	1050	CU	48	315	2
08	290	19	7	BKN	29.80	43	40	9	1050	CU	49	310	3
09	295	18	7	OVC	29.79	45	42	10	1050	Sc	49	310	3
10	290	15	7	OVC	29.79	48	44	10	1400	Sc	50	320	3
11	285	16	7	OVC	29.80	48	44	10	1400	Sc	50	320	3
12	260	14	7	BKN	29.80	49	44	9	1400	Sc	50	320	3
13	270	15	7	BKN	29.80	49	44	9	1400	Sc	50	200	3
14	240	11	7	BKN	29.80	50	44	7	1400	Sc	50	200	3
15	230	8	7	BKN	29.79	58	46	7	1400	Sc	50	200	3
16	240	8	7	BKN	29.79	56	44	7	1750	Sc	50	200	3
17	200	9	7	BKN	29.77	48	43	7	1750	Sc	51	200	3
18	210	9	7	OVC	29.76	48	43	10	1400	Sc	51	200	3
19	220	8	7	OVC	29.72	48	43	10	1050	Sc	51	210	3
20	230	7	6	OVC	29.67	44	40	10	1050	CU	51	210	3
21	225	5	6	L	29.63	44	40	10	1400	CU	51	210	3
22	165	7	5	OVC	29.58	44	41	10	1050	NS	51	190	3
23	205	8	5	OVC	29.54	44	41	10	1050	Sc	51	190	2
24	240	8	5	R	29.51	44	41	10	1050	CU	51	200	2

POSITION	ZONE	TIME
0800		
L <u>50-39.2N</u>	BY <u>2</u>	
λ <u>132-06.2W</u>	BY <u>2</u>	
1200		
L <u>50-23.5N</u>	BY <u>1-2</u>	
λ <u>131-03W</u>	BY <u>1-2</u>	
2000		
L <u>49-48N</u>	BY <u>2</u>	
λ <u>129-01W</u>	BY <u>2</u>	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L.	
MID. λ	

MILES STEAMED 0000-2400
<u>now 206.6 to 266.6</u>

FUEL CONSUMED 0000-2400
<u>1729</u>

REMARKS

00-04 Underway independently from Adak, Alaska to Seattle, Washington in accordance with ComNavSta msg. Adak, Alaska msg 180129Z and Com ServPac msg 072357Z on course 105°, 104° PGC, speed 13.3 knots (110 RPMs) with numbers 1, 2 and 4 main generators in the propulsion loop and number 1 auxiliary generator on excitation and ships power. Chatterbox condition Yoke is set. 0100 C/L to 112°, 111° PGC, 092 PSTGC.

J. J. Gupp, CWO, USN.

04-08: UNDERWAY AS BEFORE. 0745 TESTED SHIP'S WHISTLE, SIREN, GENERAL AND CHEMICAL ALARMS; TEST SATISFACTORY.

W. B. Masch, ENS, USNR

APPROVED: *[Signature]* U. S. N. COMMANDING
EXAMINED: *E. B. Masch LTJG* U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY 26 APRIL, 19 62
(Day) (Date) (Month)

08-12 Underway as before. 0800 Mustered the crew on stations. Absentees none. 0900 C/S to 11 knots (87 RPMs). 0922 Made daily inspection of magazines and smokeless powder samples; conditions; normal.

J. J. Hupp, CWO, USN

12-16 UNDERWAY AS BEFORE.

E. B. Masch LTJG USNR

16-20: UNDERWAY AS BEFORE. 1800 C/S TO 117°.

H. L. Loomis ENS, USNR

20-24 Underway as before. 2000 C/S to 9 knots (71 RPMs).

J. J. Hupp, CWO, USN

APPROVED:

EXAMINED:

[Signature] LCDR, U. S. N. COMMANDING

E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION + 9 DATE FRIDAY 27 APRIL, 1962
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO SEATTLE, WASHINGTON

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	215	10	4	R	29.49	44	41	10	1050	NS	51	190	2
02	205	12	4	R	29.39	43	41	10	700	NS	51	190	2
03	340	20	5	R	29.30	43	41	10	700	NS	51	330	3
04	340	21	3	R	29.20	43	41	10	700	NS	51	330	3
05	325	27	3	R	29.18	43	41	10	700	NS	52	310	3
06	315	27	3	R	29.14	42	41	10	700	ST	52	300	4
07	315	27	3	R	29.12	42	41	10	700	ST	52	300	4
08	335	25	3	L	29.10	43	42	10	350	NS	52	330	4
09	325	26	7	L	29.13	43	42	10	350	NS	52	340	4
10	310	25	6	L	29.18	43	43	10	0	NS	52	330	4
11	295	25	6	L	29.24	43	43	10	0	NS	52	320	5
12	285	26	5	L	29.29	42	42	10	0	NS	52	330	5
13	280	36	5	L	29.31	42	42	10	0	NS	52	280	6
14	275	31	5	L	29.39	42	42	10	0	NS	52	270	6
15	290	31	5	RW	29.41	42	41	10	1050	NS	52	270	6
16	270	18	5	OVC	29.48	43	41	10	700	Sc	52	270	6
17	250	19	5	OVC	29.50	43	41	10	700	Sc	53	270	2
18	ADVANCED CHECKS 1 HOUR TO CONFORM WITH +8 TIME ZONE												
19	225	22	4	OVC	29.51	43	41	10	700	Sc	54	220	2
20	220	17	4	OVC	29.54	43	41	10	700	Sc	53	200	2
21	235	18	4	OVC	29.56	42	41	10	700	Sc	51	200	2
22	235	12	4	OVC	29.59	43	41	10	700	Sc	51	200	2
23	240	14	4	OVC	29.60	43	41	10	700	Sc	51	200	2
24	265	13	6	OVC	29.61	43	41	10	700	Sc	51	180	1

POSITION	ZONE	TIME
0800		
L <u>49-00N</u>	BY <u>2</u>	
λ <u>126-43W</u>	BY <u>2</u>	
1200		
L <u>48-45.5</u>	BY <u>2</u>	
λ <u>125-56.5</u>	BY <u>2</u>	
2000		
L <u>48-11.9N</u>	BY <u>3</u>	
λ <u>123-26.6W</u>	BY <u>3</u>	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L. _____	
MID. λ. _____	

MILES STEAMED 0000-2400
<u>162.4</u>

FUEL CONSUMED 0000-2400
<u>844</u>

REMARKS

00-04. Underway independently from Adak, Alaska to Seattle, Washington in accordance with CO NAV STA, Adak, Alaska msg 180129Z and COMSERUPAC msg 071357Z April 62 on course 117°(T) 116°PBC 097°PSTGC Speed 9 knots (71 RPM) with number 1 and 2 main generators in the propulsion loop and number one auxiliary generator on ship power and excitation. Material Condition Yoke set.

Jeppay CWO U.S.N.

04-08: UNDERWAY AS BEFORE. 0745 TESTED SHIP'S WHISTLE, SIREN, GENERAL AND CHEMICAL ALARMS; TEST SATISFACTORY.

W. J. J. J. ENS, USNR

APPROVED: *[Signature]* LCDR, U. S. N. COMMANDING
EXAMINED: *E. B. Masch* LTJG U. S. N. NAVIGATOR